

MADE IN ITALY. MADE TO EXCEL.

MARVEL

DIVA

Interactive version



MARBLE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



INDEX

- INSPIRATION
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



ICONIC LIKE A DIVA.

INDEX



INSPIRATION



ICONIC LIKE A DIVA

OUR BEST SELECTION
OF FINISHES

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE

IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Polished surface
PORCELAIN TILES



Velvet surface
PORCELAIN TILES
Velvetechn



OUR BEST
SELECTION
OF FINISHES.

INDEX



INSPIRATION



ICONIC LIKE A DIVA

OUR BEST SELECTION
OF FINISHES

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE

IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Silk surface
PORCELAIN TILES



Matte surface
PORCELAIN TILES
Sensitech



INDEX



INSPIRATION



ICONIC LIKE A DIVA

OUR BEST SELECTION
OF FINISHES

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE

IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



TEXTURES THAT AMPLIFY THE BEAUTY OF MARBLE.



Reliefs on veins
Sky Stone | Wall Tiles 50x120 Field

INDEX



INSPIRATION



ICONIC LIKE A DIVA
OUR BEST SELECTION
OF FINISHES

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE

IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Field surface

Shiny effects on veins

Ice Crystal, White Everest, Taj Mahal | Wall Tiles 50x120 Field

INDEX



INSPIRATION



ICONIC LIKE A DIVA
OUR BEST SELECTION
OF FINISHES

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE

IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



3D Crease surface

Matte 3D texture



Ice Crystal, White Everest | Wall Tiles 50x120

Image Gallery

↔ Kitchen - Baobab




↔ Hotel Lobby - Ice Crystal



↔ Luxury Store - Sky Stone



↔ Suite Bedroom with Bathroom
White Everest



↔ Living Room
Precious Brown | Taj Mahal



↔ Bathroom - Taj Mahal



↔ Living Room and Kitchen
Precious Brown | Taj Mahal



↔ Kitchen - Black Tempest



↔ Bar - Galaxy



↔ Spa - Aqua



↔ Bathroom - Amethyst



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVING ROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVING ROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB

HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



BAOBAB
EXPRESSIVE COLORS.



COUNTERTOP | FURNITURE
Atlas Plan
Baobab
Polished
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB

HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Atlas Plan
Baobab
Polished
162x324 cm | 63³/₄"x127¹/₂"

<
FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

WALL
Atlas Plan
Baobab
Polished
160x320 cm | 63"x126"

Marvel Diva
Baobab Mosaico Hex
Polished
40,3x23,3 cm – 15⁷/₈"x9¹/₈"

DINING TABLE | **INCONTRO 75**
Atlas Concorde Habitat
Boost Smoke
Matte
100x180 cm | 39³/₈"x70⁷/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB

HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB

HOTEL LOBBY - ICE CRYSTAL

LUXURY STORE - SKY STONE

SUITE BEDROOM WITH

BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS

BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL

LIVINGROOM AND KITCHEN -

PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



ICE CRYSTAL
RAREST PURITY.



FLOOR
Marvel Diva
Ice Crystal
Polished
120x240 cm | 47 1/4"x94 1/2"

STAIRS
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Ice Crystal
Polished
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^		
FLOOR	STAIRS	WALL
Marvel Diva	Boost Balance	Marvel Diva
Ice Crystal	Ash	Ice Crystal
Polished	Matte Sensitech	Polished
120x240 cm 47 1/4"x94 1/2"	120x120 cm 47 1/4"x47 1/4"	120x278 cm 47 1/4"x109 1/2"
<		
FLOOR	WALL	DESK
Marvel Diva	Atlas Plan	Atlas Plan
Ice Crystal	Ice Crystal Bookmatch	Ice Crystal
Polished	Polished	Polished
120x240 cm 47 1/4"x94 1/2"	160x320 cm 63"x126"	162x324 cm 63 3/4"x127 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB

HOTEL LOBBY - ICE CRYSTAL

LUXURY STORE - SKY STONE

SUITE BEDROOM WITH

BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS

BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL

LIVINGROOM AND KITCHEN -

PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST



SKY STONE

LIMITLESS HORIZON.



FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Sky Stone
Silk
120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Sky Stone
Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Balance

Ash

Matte Sensitech

120x120 cm | 47 1/4"x47 1/4"

WALL

Marvel Diva

Sky Stone

Silk

120x278 cm | 47 1/4"x109 1/2"

Marvel Diva

Sky Stone Mosaico Grid

Velvet Velvettech

59,5x118,2 cm | 23 3/8"x46 1/2"



INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Sky Stone Field
Matte
50x120 cm | 47¹/₄"x19⁵/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WHITE EVEREST

ENDURING ATTITUDE.

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR	WALL	OUTDOOR FLOOR	OUTDOOR WALL
Boost Balance	Marvel Diva	Boost Balance	Boost Balance
Pearl	White Everest	Pearl	Pearl
Matte Sensitech	Silk	Outdoor Sensitech $\pm$ 20mm	Matte
120x120 cm 47 1/4"x47 1/4"	120x278 cm 47 1/4"x109 1/2"	120x120 cm 47 1/4"x47 1/4"	120x278 cm 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
White Everest Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
White Everest
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
White Everest 3D Crease
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE

SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL

LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



TAJ MAHAL
MEET THE ETERNITY.



FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Taj Mahal
Silk
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Diva
Precious Brown
Silk
120x278 cm | 47¹/₄"x109¹/₂"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvetech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST

LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL

BATHROOM - TAJ MAHAL

LIVINGROOM AND KITCHEN -

PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47 1/4"x47 1/4"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 77 7/8"x47 1/4"

WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19 5/8"x47 1/4"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23 3/8"x46 1/2"

SINKS | EVOLUZIONE - BLOCK
Atlas Concorde Habitat
Marvel Diva Precious Brown Silk
Biscuit Grey Basin
85x45 cm | 33 1/2"x17 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
Taj Mahal
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvetech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



PRECIOUS BROWN
WARM EXPLOSION.



^				
WALL				
Marvel Diva				
Precious Brown				
Silk				
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "				
>				
FLOOR				
Atlas Plan				
Boost Balance Ash				
Matte				
160x320 cm 63"x126"				
WALL				
Atlas Plan				
Marvel Diva Taj Mahal				
Silk				
160x320 cm 63"x126"				
Atlas Plan				
Precious Brown				
Silk				
160x320 cm 63"x126"				
COUNTERTOP FURNITURE				
Atlas Plan				
Taj Mahal				
Silk				
162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "				
DINING TABLE INCONTRO 75				
Atlas Concorde Habitat				
Precious Brown				
Silk				
100x180 cm 39 ³ / ₈ "x70 ⁷ / ₈ "				



INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



BLACK TEMPEST
NUANCES OF DARKNESS.



FLOOR
Boost Balance
Smoke
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Black Tempest
Silk
120x278 cm | 47 1/4"x109 1/2"

BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
Velvet Velvtech
17,5x46,3 cm | 6 7/8"x18 1/4"

COUNTERTOP | FURNITURE
Atlas Plan
Black Tempest
Silk
162x324 cm | 63 3/4"x127 1/2"

Atlas Plan
Noce Canaletto
Matte
160x320 cm | 63"x126"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
Velvet Velvettech
17,5x46,3 cm | 67³/₈"x18¹/₄"

>
FLOOR
Boost Balance
Smoke
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

COUNTERTOP | FURNITURE
Atlas Plan
Black Tempest
Silk
162x324 cm | 63³/₄"x127¹/₂"

Atlas Plan
Noce Canaletto
Matte
160x320 cm | 63"x126"



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL

KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



GALAXY
COSMIC DETAILS.



FLOOR
Boost Balance
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Galaxy
Polished
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Marvel Diva
Galaxy
Polished
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Boost Balance
Grey**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Marvel Diva
Galaxy**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
**Marvel Diva
Galaxy**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST

BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



AQUA
REFLECTION OF NATURE.



FLOOR

Marvel Shine
Calcatta Delicato
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL

Marvel Diva
Aqua
Polished
120x278 cm | 47 1/4"x109 1/2"

FURNITURE

Marvel Diva
Aqua
Polished
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR Marvel Shine Calcatta Delicato Matte Sensitech 120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	WALL Marvel Diva Aqua Polished 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Marvel Diva Aqua Mosaico Triangle Polished 28,9x33,4 cm 11 ³ / ₈ "x13 ¹ / ₈ "
TOP EVOLUZIONE - DUO Atlas Concorde Habitat Marvel Diva Aqua Polished Rectangular Grey Basin 240x45x12 cm 94 ¹ / ₂ "x17 ³ / ₄ "x4 ³ / ₄ "	SHELF ESSENZA - THIN Atlas Concorde Habitat Marvel Diva Aqua Polished 240x35x5 cm 94 ¹ / ₂ "x13 ³ / ₄ "x2"	SIDE TABLE CONTATTO Atlas Concorde Habitat Black Lava Leathered ø 45 cm 17 ³ / ₄ "



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY

SPA - AQUA

BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST



AMETHYST

PRECIOUS ESSENCE.



FLOOR
Boost Natural
Kaolin
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Amethyst
Polished
120x278 cm | 47 1/4"x109 1/2"

Marvel Diva
Amethyst Mosaico Twist
Polished
27,6x35 cm | 10 7/8"x13 3/4"

VANITY UNIT | ARMONIA
Atlas Concorde Habitat
Marvel Diva Amethyst
Polished
240x50x53 cm - 90 1/2"x19 5/8"x20 7/8"

INDEX



INSPIRATION



IMAGE
GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
FLOOR
**Boost Natural
Kaolin**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Marvel Diva
Amethyst**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

<
FLOOR
**Boost Natural
Kaolin**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Marvel Diva
Amethyst Mosaico Twist**
Polished
27,6x35 cm | 10⁷/₈"x13³/₄"

VANITY UNIT | **ARMONIA**
**Atlas Concorde Habitat
Marvel Diva Amethyst**
Polished
240x50x53 cm - 90¹/₂"x19⁵/₈"x20⁷/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ MARVEL DIVA RANGE
- ◇ SENSITECH & VELVETECH TECHNOLOGY
- ◇ TECHNICAL SPECIFICATIONS
- ◇ MARVEL WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Ice Crystal	White Everest	Taj Mahal	Amethyst	Precious Brown
Floor	Wall	Bathroom furniture				
160x320* cm - 63"x126"	± 6 mm	Polished● Silk●	Silk■	Polished● Silk●		Silk■
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished● Silk●	Polished● Silk●	Polished● Silk●	Polished●	Silk●
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished	Polished	Polished		
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Velvet Velvtech	Velvet Velvtech	Velvet Velvtech		
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished Velvet Velvtech Matte Sensitech	Polished Velvet Velvtech Matte Sensitech	Polished Velvet Velvtech Matte Sensitech	Polished	Velvet Velvtech
Slabs for countertops and furniture						
162x324* cm - 63 3/4"x127 1/2"	± 12 mm	Polished■ Silk■	Silk■	Polished■ Silk■		Silk■
159x324* cm - 62 5/8"x127 1/2"	± 20 mm			Polished		
* Atlas Plan		■ Also available in bookmatch		● Also available kit endless		

		Aqua	Baobab	Sky Stone	Galaxy	Black Tempest
Floor	Wall	Bathroom furniture				
160x320* cm - 63"x126"	± 6 mm		Polished●			
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished●	Polished●	Silk●	Polished●	Silk●
120x240 cm - 47 1/4"x94 1/2"	± 9 mm					
120x120 cm - 47 1/4"x47 1/4"	± 9 mm					
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished	Polished	Velvet Velvtech	Polished	Velvet Velvtech
Slabs for countertops and furniture						
162x324* cm - 63 3/4"x127 1/2"	± 12 mm		Polished■	Silk■		Silk■
* Atlas Plan		■ Also available in bookmatch		● Also available kit endless		

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Ice Crystal	White Everest	Taj Mahal	Sky Stone
Wall					
50x120 cm - 19 5/8"x47 1/4" Field	± 8,5 mm	Matte	Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" 3D Crease	± 8,5 mm	Matte	Matte		

Sensitech pag.92

Velvtech pag.90





PRECAUTIONS - VELVET IS A DELICATE SURFACE

The Velvet finish is a **delicate surface** that requires care. To preserve its beauty and ensure proper use, please **refer to our instructions** on page 90

Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches.
Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Destination of use

M MEDIUM TRAFFIC	Silk ± 6 mm Polished ± 6-9 mm	H HEAVY TRAFFIC	Matte Sensitech ± 9 mm	L LIGHT TRAFFIC	Velvet Velvtech ± 9 mm	Anti-slip R10 B Matte Sensitech ± 9 mm	Color-shading V3 Moderate Variation All colors
----------------------------	----------------------------------	---------------------------	--	---------------------------	------------------------	--	---



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE

SENSITECH & VELVETECH
TECHNOLOGY

TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



Kit Endless

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel Diva Ice Crystal ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Amethyst ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva White Everest ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Precious Brown ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *




Marvel Diva Taj Mahal ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Aqua ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Baobab ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *




Marvel Diva Galaxy ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Sky Stone ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Black Tempest ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *

* **The Endless Kits guarantee the presence of the exact sequence of graphics inside the packaging.** - I Kit Endless garantiscono la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. - Les Kit Endless garantissent la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. - Kit Endless garantiert die exakten grafischen Sequenzen in der Packung. - Комплекты Kit Endless обеспечивают наличие точной последовательности рисунков внутри упаковки.

⁽¹⁾ **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽²⁾ **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. Eventuelle kleine Versätze im Verlauf der Aderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE

SENSTECH & VELVETECH
TECHNOLOGY

TECHNICAL SPECIFICATIONS

MARVEL WORLD

ENJOY
THE VIDEO



Twist Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Twist Ice Crystal
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



Marvel Diva Twist White Everest
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



Marvel Diva Twist Taj Mahal
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




Marvel Diva Twist Amethyst
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



V3 Moderate Variation
All colors

Chevron Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит



Marvel Diva Chevron Ice Crystal
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Marvel Diva Chevron White Everest
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Marvel Diva Chevron Taj Mahal
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"




Marvel Diva Chevron Black Tempest
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Hex Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Hex Ice Crystal
Polished
40,3x23,3 cm - 15 7/8\"/>



Marvel Diva Hex White Everest
Polished
40,3x23,3 cm - 15 7/8\"/>




Marvel Diva Hex Taj Mahal
Polished
40,3x23,3 cm - 15 7/8\"/>



Marvel Diva Hex Baobab
Polished
40,3x23,3 cm - 15 7/8\"/>

Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive.




Triangle Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

Surface Range


V3 Moderate Variation
All colors




Marvel Diva Triangle Ice Crystal
Polished
28,9x33,4 cm - 11 3/8\"/>



Marvel Diva Triangle White Everest
Polished
28,9x33,4 cm - 11 3/8\"/>



Marvel Diva Triangle Taj Mahal
Polished
28,9x33,4 cm - 11 3/8\"/>



Marvel Diva Triangle Aqua
Polished
28,9x33,4 cm - 11 3/8\"/>



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE

SENSTECH & VELVETECH
TECHNOLOGY

TECHNICAL SPECIFICATIONS
MARVEL WORLD


ENJOY
THE VIDEO



Grid Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Grid Ice Crystal
Velvet Velvetex
59,5x118,2 cm - 23³/₈"x46¹/₂"

Marvel Diva Grid White Everest
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"

Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time.

Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato.

Marvel Diva Grid Taj Mahal
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



Marvel Diva Grid Sky Stone
Velvet Velvettech
59,5x118,2 cm - 23³/₈"x46¹/₂"



Velvotech

The advanced technology with patent filed in Europe,
inspired by the art of polishing surfaces for an impeccable smooth touch



Velvotech technology



PRECAUTIONS VELVETECH



SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.



DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alcalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbi-sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.



INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.



CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.

PULIZIA E MANUTENZIONE DI FINE CANTIERE

- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE


SENSITECH & VELVETECH
TECHNOLOGY

TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in the United States and in Russia. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, negli Stati Uniti e in Russia. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



INTERIOR DESIGN PROJECTS by

SILVIA FANTICELLI

silviafanticelli.com

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE

SENSITECH & VELVETECH
TECHNOLOGY

TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO





Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126" $\pm$ 6 mm
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
60x120 cm - 23³/₈"x47¹/₄" $\pm$ 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles				
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Silk ± 6 mm	Polished ± 6 mm	Polished ± 9 mm	Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm
		(mm)	(%)	(mm)					
 Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
 Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
 Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N
 Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	-	-
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
 Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
 Reaction to fire Reazione al fuoco	-	Class A1 or A ₁ _s Classe A1 oppure A _{1s}			A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A
		Declared Class Classe dichiarata			LA	LA	LA	LA	LA
		Declared Class Classe dichiarata			HA	-	-	-	HA
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	≥ 3	5
 Shood Ramp Test Metodo della rampa "calzato" Barefoot Ramp Test Metodo della rampa a piedi nudi Pendulum Friction Test Metodo del Pendolo (1)/(2)	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	N.C.	N.C.	R10
	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	0	0	A+B
	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as 'low slip risk'			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	-	-	Class P3
	UNE EN 16165 ANNEX C (EX UNE 41901 EX2017)	Declared value Valore dichiarato			-	-	-	-	Class C2
Coefficient of friction (COF) Coefficiente di attrito		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata		> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326,3	-		dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50



Wall tiles - Rectified monocaliber

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

Rivestimento - Rettificato monocalibro

50x120 cm - 19⁵/₈"x47¹/₄" $\pm$ 8,5 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)		
	Thickness Spessore		± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	3D WALL Not applicable Non applicabile
	e.c. ± 0,6 Rect.		e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.			
	w. ± 0,6 Rect.		w. ± 0,4 Rect.	w. ± 1,8 Rect.			
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _y ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	

^(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
^(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
^(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
^(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1). Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2). Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(3). For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(5). Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

^(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
^(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
^(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
^(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).



MARVEL
STONE

MARVEL
GEMS

MARVEL
TRAVERTINE

MARVEL
SHINE

MARVEL
GALA

MARVEL
X

MARVEL
ONYX

MARVEL
MERAVIGLIA

MARVEL 3D
WALL

MARVEL
DIVA

MARVEL
T

MARVEL
EPIC

MARVELWORLD

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.



DISCOVER
MARVEL WORLD

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali



Product declarations / Dichiarazioni di prodotto




Certifications for export to international markets*



Product certifications / Certificazioni di prodotto



Certification for buildings / Rating dell'edificio



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSTECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO





atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
November 2025