




Galestro

*Forza e Tradizione dentro e fuori la Materia.*

*Galestro, Strength and Tradition inside and outside Matter.  
Galestro, Force et Tradition au dedans et au dehors de la Matière.  
Galestro, Kraft und Tradition innen und aussen des Stoffes.*




*Galestro, Segni del tempo che lasciano il Segno.*  
*Galestro, Signs of time that leave their mark.*  
*Galestro, Signes du temps qui marquent.*  
*Galestro, Zeichen der Zeit, die eine Spur hinterlassen.*








HGT 6 - Galestro A / HGT 6



HGT 11 - Galestro A / HGT 11






HGT 1 - Galestro F / HGT 1

**Pezzi Speciali** Special Pieces • Formteile • Pièces spéciales




**Battiscopa**  
8x30 - 3 1/8"x12"  
Bullnose  
Sockelleiste  
Plinthes



**Gradone Lineare**  
30x33 - 12"x13"  
Step  
Stufe  
Nez de marche



**Gradone Angolare**  
33x33 - 13"x13"  
Corner Step  
Eckstufe  
Nez de marche angulaire



**Elemento a L**  
monolitico  
16,5x30 - 6 1/2"x12"  
4 - 15/8"



RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIVOLAMENTO
FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	RESISTANCE TO SLIPPING
FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT
RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLEE	RESISTANCE CHIMIQUE	FACTEUR DE RÉSISTANCE ANTIGLISSMENT
<b>RESISTANT</b> (ISO 10545.12)	<b>~0,1%</b> (ISO 10545.3)		<b>AA (UNI EN 122)</b> <b>5 (ISO 10545.14)</b>	<b>R 10</b> (DIN 51130)

Package	30x45	30x30	15x45	15x30	15x15
	<b>Pieces</b> 8	12	16	24	48
	<b>Mq.</b> 1,08	1,08	1,08	1,08	1,08
	<b>Kg.</b> 24,60	24,00	24,00	24,00	24,00
	<b>Boxes</b> 44	44	44	44	48
	<b>Mq.</b> 47,52	47,52	47,52	47,52	51,84
	<b>Kg.</b> 1104,00	1077,00	1077,00	1077,00	1173,00

**Gres porcellanato a tutta massa**  
Through-body porcelain tile - Durchgefärbtes Feinsteinzeug - Le grès cérame pleine masse

**Spessore maggiorato: 10,5 mm**  
Thickness: 10,5 mm - Ueber-Stärke: 10,5 mm - Surépaisseur: 10,5 mm

**Price codes:** Pieces Mq. ML.



HGT 10 30x45 - 12"x18"  
072 ■



HGT 10 30x30 - 12"x12"  
070 ■



HGT 11 30x45 - 12"x18"  
072 ■



HGT 11 30x30 - 12"x12"  
070 ■



HGT 10 15x45 - 6"x18"  
085 ■



HGT 10 15x30 - 6"x12"  
072 ■



HGT 10 15x15 - 6"x6"  
072 ■



HGT 11 15x45 - 6"x18"  
085 ■



HGT 11 15x30 - 6"x12"  
072 ■



HGT 11 15x15 - 6"x6"  
072 ■



Galestro F / HGT 10 15x45 - 6"x18"  
040 ● 61



Galestro A / HGT 10 15x15 - 6"x6"  
020 ● 61



Galestro A / HGT 10 5x5 - 2"x2"  
007 ● 61 4 soggetti assortiti 4 Motive sortiert 4 different designs 4 sujets assortis



Galestro F / HGT 11 15x45 - 6"x18"  
040 ● 61



Galestro A / HGT 11 15x15 - 6"x6"  
020 ● 61



Galestro A / HGT 11 5x5 - 2"x2"  
007 ● 61 4 soggetti assortiti 4 Motive sortiert 4 different designs 4 sujets assortis



HGT 1 30x45 - 12"x18"  
072 ■



HGT 1 30x30 - 12"x12"  
070 ■



HGT 6 30x45 - 12"x18"  
072 ■



HGT 6 30x30 - 12"x12"  
070 ■



HGT 1 15x45 - 6"x18"  
085 ■



HGT 1 15x30 - 6"x12"  
072 ■



HGT 1 15x15 - 6"x6"  
072 ■



HGT 6 15x45 - 6"x18"  
085 ■



HGT 6 15x30 - 6"x12"  
072 ■



HGT 6 15x15 - 6"x6"  
072 ■



Galestro F / HGT 1 15x45 - 6"x18"  
040 ● 61



Galestro A / HGT 1 15x15 - 6"x6"  
020 ● 61



Galestro A / HGT 1 5x5 - 2"x2"  
007 ● 61 4 soggetti assortiti 4 Motive sortiert 4 different designs 4 sujets assortis



Galestro F / HGT 6 15x45 - 6"x18"  
040 ● 61



Galestro A / HGT 6 15x15 - 6"x6"  
020 ● 61



Galestro A / HGT 6 5x5 - 2"x2"  
007 ● 61 4 soggetti assortiti 4 Motive sortiert 4 different designs 4 sujets assortis

**HARD**

Hard, Il gres porcellanato a tutta massa

*Hard, through-body porcelain tile - Hard, das Feinsteinzeug Durchgefärbt - Hard, le grès cérame pleine masse*



 **DELCONCA**

Ceramica del Conca S.p.a.

Via Croce, 8 - 47832 San Clemente (RN) - Italy  
Tel. (+378) 0549 996037 - Fax (+378) 0549 996038  
[www.delconca.com](http://www.delconca.com) - [info@delconca.com](mailto:info@delconca.com)



OFFICIAL PARTNER  
ITALIAN NATIONAL FOOTBALL TEAM

