



kauri

kauri collection

Unicomstarker introduce Kauri, l'ultima aggiunta al concept dei legni. La palette dalle sfumature equilibrate apre a soluzioni di interior dal mood contemporaneo. Il prodotto si presta a combinazioni di diverse tonalità per mix cromatici inusuali ed eleganti.

Unicomstarker introduces Kauri, the latest addition to the woods concept. Nuanced and sophisticated, the colours are lightly mottled making every tile slightly different. Combining different tile planks from this collection in different colours in a single tiled surface creates a special mix shades.



bright

essential

golden

mulled

natural



kauri bright
13.8 x 83 5"x33"

unicomstarker



bright

kauri collection



kauri bright
13.8 x 83 5"x 33"



kauri essential
13.8 x 83 5" x 33"

unicomstarker



essential

kauri collection




kauri essential
13.8 x 83 5"x33"



kauri golden
13.8 x 83 5"x 33"

unicomstarker



golden

kauri collection



kauri golden
13.8 x 83 5"x 33"



kauri mulled
13.8 x 83 5"x 33"

unicomstarker



mulled

kauri collection



kauri mulled
13.8 x 83 5"x33"



kauri natural
13.8 x 83 5"x 33"

unicomstarker



natural

kauri collection



kauri natural
13.8 x 83 5"x 33"



kauri colours



murales mix A _ mulled + natural



murales mix B _ essential + bright + golden

kauri murales mix



kauri
colours
&blend



60% essential + 40% mulled




60% essential + 40% natural



60% natural + 40% mulled

kauri blend 2



layout solution **C**



30% essential + 45% natural + 25% mulled




32% natural + 33% golden + 35% essential




32% bright + 33% golden + 35% essential

kauri blend 3



layout solution **A**



layout solution **B**



kauri
technicals


formati sizes formate formats



13.8 x 83
5" x 33"
52



murales mix A (natural+mulled)
murales mix B (bright+essential+golden)
20.5 x 40.9
8 3/8" x 16 7/8"
32



battiscopa smaltato
6.5 x 83
3" x 33"
16


Al fine di mantenere il caratteristico effetto di seminato voluto dal produttore, posare il materiale attingendo contemporaneamente da più scatole.

In order to maintain the shaded variation effect requested from the manufacturer, we suggest mixed laying drawing tiles from several different boxes at a time.


Pour pouvoir garder l'effet désiré par le producteur, il faut mélanger les carreaux des plusieurs boîtes.

Um das Hersteller gewollte Farbspiel zu erzielen, empfohlen wird, die Fliesen abwechselnd aus verschiedenen Packungen zu verlegen.


soluzioni di posa laying solution propositions pour la pose verlegungsvorschläge




13.8 x 83 5" x 33" 100 %




13.8 x 83 5" x 33" 100 %



13.8 x 83 5" x 33" 100 %




13.8 x 83 5" x 33" 100 %



13.8 x 83 5" x 33" 100 %

caratteristiche tecniche technical features caractéristiques techniques technische eigenschaften




assorbimento d'acqua
water absorption
absorption d'eau
wasseraufnahme

<0,5%



resistenza agli acidi
resistance to acid
résistance aux acides
säurebeständigkeit

GLA




resistenza alla flessione
breaking strength
résistance à la flexion
biegezugfestigkeit

35 N/mm²



durezza di Mohs
hardness in Mohs degrees
dureté de Mohs
Mohsche härte

UNI EN 101
7




resistenza al gelo
frost resistance
résistance au gel
frostbeständigkeit

resiste
frost proof
aucune attération
keine änderung



resistenza all'abrasione (PEI)
resistance against abrasion (PEI)
résistance à l'abrasion (PEI)
tiefen-abriebbeständigkeit

V bright
IV essential/golden
mulled/natural



resistenza alle macchie
stain resistance
résistance aux taches
flackenbeständigkeit

4



DIN51097 coefficiente d'attrito (scivolosità)
DIN51130 static coefficient of friction
DCOF coefficient of friction (glissement)
Bot 3000 reibungskoeffizient (schlüpfrigkeit)

A+B
R10
> 0.42



spessore
thickness
épaisseur
dicke

± 10 mm



variazioni cromatiche
color shade variations
variation de nuance
nuance variations

V3 variazione moderata
V3 moderate variation
V3 variation modérée
V3 mäßige variation

imballi packing emballages verpackung

	spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kg/pl kgs/pal
13.8x83 naturale	10	13	1.49	32.00	40	59.60	1280.00
20.5x40.90 murales mix A / B		6		10.80			
6.5x83 battiscopa smaltato		20		24.60			

il peso riportato è comprensivo del pallet di supporto

the indicated weight includes the supporting pallet

le poids indiqué est compris de la palette de support

das angegebene gewicht versteht sich einschließlich der palette



kauri

technical



unicomstarker

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0536) 926011
F italy +39 (0536) 926038
F world +39 (0536) 926033
F europe +39 (0536) 926023

unicomstarker.com